
















COMMON RAIL SPACER SET












Via Padova 183
20127, Milano, Italy
Tel: +39 022722161
Fax: +39 022567974
Email: info@rased.it
www.spacodiesel.com



Each set consists of convenient and practical boxes containing 10 pcs per size of spacer pins.

SPACO SET	OUTER DIAMETRE (mm)	INNER DIAMETRE (mm)	THICKNESS	INCREMENT	TOTAL PCS.
 15886	2,3		1,14 to 1,25 mm	0,01	120
 15900	4	2,3	1,72 to 1,9 mm	0,02	100
 15898	4	2,3	1,2 to 1,7 mm	0,02	260
 15902	4,2	2,3	1,7 to 1,96 mm	0,02	140
 15890	4,2	2,3	1,2 to 1,7 mm	0,05	110
 15895	4,2	2,3	1,2 to 1,7 mm	0,02	260
 15893	4,5	2,5	1,64 to 1,86 mm	0,02	120
 15884	4,5	2,5	1,2 to 1,7 mm	0,02	260
 15889	4,5	2,5	1,2 to 1,7 mm	0,05	110
 15903	5,3	2,5	1,72 to 1,9 mm	0,02	100
 15885	5,3	2,5	1,2 to 1,7 mm	0,02	260
 15894	5,3	3,5	1,4 to 1,86 mm	0,02	240
 15897	5,3	3,5	0,9 to 1,9 mm	0,05	210

SPACO SET	OUTER DIAMETRE (mm)	INNER DIAMETRE (mm)	THICKNESS	INCREMENT	TOTAL PCS.
 15891	5,3	3,5	1,2 to 1,7 mm	0,05	110
 15883	5,3	3,5	1,2 to 2,7 mm	0,02	260
 15775	9,5	2	1,78 to 2,9 mm	0,02	560
 15896	15,7	10,5	1,2 to 1,3 mm	0,01	110
 15892	20	13,7	0,8 to 1,2 mm	0,02	210
 15901	23,7	19	0,9 to 1 mm	0,01	110
 15888	23,7	19	1 to 1,1 mm	0,01	110
 15887	22	19	1 to 1,1 mm	0,01	110

SPACO SET	LENGTH	INCREMENT	TOTAL PCS.
 15906	8,4 to 8,5 mm	0,01	110
 15905	8,5 to 8,7 mm	0,01	210
 15866	8,4 to 8,5 mm	0,01	110
 15904	8,5 to 8,7 mm	0,01	210